AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (original): A sol comprising a precipitated component in an amount of less than 10

mass% based on the total solid content of the sol and comprising titanium oxide comprising a

transition metal compound.

2. (original): The sol according to claim 1, wherein the sol has a transmittance of 50% or

more at a wavelength of 550 nm, as measured by use of a cell having an optical path length of 2

mm, when the sol contains water as a medium and has a solid content of 1 mass%.

3. (currently amended): The sol according to claim 1-or 2, wherein the transition metal

compound does not contain particles having a particle size larger than 1 nm in an amount of 5

mass% or more.

4. (currently amended): The sol according to claim 1-or 2, which comprises the transition

metal compound in an amount, as reduced to metal, of 0.01 to 1 mass% based on the total solid

content.

2

5. (currently amended): The sol according to claim 1-or-2, wherein the transition metal compound comprises at least one selected from the group consisting of metal elements of Group 8 to 11 in the Periodic Table.

6. (currently amended): The sol according to claim 1-or 2, wherein the transition metal compound comprises at least one selected from the group consisting of metal elements of Group 10 in the Periodic Table.

7. (currently amended): The sol according to claim 1-or 2, wherein the transition metal compound comprises platinum as the transition metal.

- 8. (currently amended): The sol according to claim 1-or-7, wherein the transition metal compound is a chloride.
- 9. (original): The sol according to claim 8, wherein the sol comprises a solid component which exhibits peaks at 72.5 eV and 75.5 eV (within a measurement error range of ± 1.0 eV), as measured through X-ray photoelectron spectroscopy.
- 10. (currently amended): The sol according to claim 1-or 2, which comprises a photocatalyst exhibiting photocatalytic activity under visible light.

11. (currently amended): The sol according to claim 1-or 2, wherein the solid component of the sol exhibits a diffraction peak of lattice constant d (Å) of 2.90 (within a measurement error range of ± 0.02 Å), as measured through powder X-ray diffraction employing Cu-K α 1 rays.

12. (currently amended): The sol according to any one of claims 1 to 11, wherein the solid component in the sol comprises a brookite titanium oxide.

13. (original): The sol according to claim 12, wherein the solid component in the sol comprises a brookite titanium oxide in an amount of 10 mass% or more, as determined through Rietveld analysis.

14. (original): The sol according to claim 12, wherein the solid component in the sol comprises a brookite titanium oxide in an amount of 30 mass% or more, as determined through Rietveld analysis.

15. (currently amended): The sol according to claim 1 any one of claims 1 to 14, wherein the solid component of the sol has a BET specific surface area of 20 to 400 m²/g.

16. (original): A method for producing a sol, characterized in that the method comprises mixing an aqueous solution of a transition metal compound with a sol having a precipitated

component in an amount less than 10% based on the total solid content in the sol and comprising titanium oxide.

17. (original): A method for producing a sol, characterized in that the method comprises mixing a transition metal compound with a titanium compound and subjecting the mixture to hydrolysis.

18. (original): A method for producing a sol, characterized in that the method comprises hydrolyzing a titanium compound in an aqueous solution comprising a transition metal compound.

19. (currently amended): A method for producing a sol according to claim 17-or-18, wherein the titanium compound is titanium tetrachloride or an aqueous solution of titanium tetrachloride.

20. (currently amended): The method for producing a sol as set forth in <u>claim 16 any one</u> of claims 16 to 18, wherein the transition metal compound comprises a chloride of the transition metal.

21. (currently amended): The method for producing a sol as set forth in <u>claim 17any one</u> of claims 17 to 20, wherein hydrolysis is performed at 50°C to a boiling temperature.

Preliminary Amendment

Appln. No.: National Stage of PCT/JP2004/009888

transition metal compound upon hydrolysis.

22. (original): The method for producing a sol according to claim 21, wherein hydrolysis is performed at 75°C to a boiling temperature.

23. (currently amended): The method for producing a sol as set forth in claim 17any one of claims 17 to 22, wherein the titanium compound is added dropwise so as to mix with the

24. (currently amended): A sol produced through the method for producing the sol as set forth in <u>claim 16any one of claims 16 to 23</u>.

25. (currently amended): A powder produced by drying the sol as set forth in <u>claim 1 any</u> one of claims 1 to 15 or 24.

26. (currently amended): A powder produced by drying the sol as set forth in <u>claim 1 any</u> one of claims 1 to 15 or 24, through heating, reducing pressure, or freeze-drying, and by grinding or pulverizing the dried product.

27. (currently amended): An organic polymer comprising the sol as set forth in <u>claim</u>

<u>lany one of claims 1 to 15 or 24</u>, or the solid component in the sol.

- 28. (currently amended): An organic polymer comprising, on a surface thereof, the sol as set forth in claim 1 any one of claims 1 to 15 or 24, or the solid component in the sol.
- 29. (currently amended): A coating composition comprising the sol as set forth in <u>claim</u>

 <u>lany one of claims 1 to 15 or 24</u>, and a binder component.
- 30. (currently amended): A thin film produced by applying to a substrate the sol as set forth in claim 1 any one of claims 1 to 15 or 24, or the coating composition as set forth in claim 29, and drying or hardening.
 - 31. (original): The thin film according to claim 30, which is hardened at 800°C or lower.
 - 32. (original): The thin film according to claim 30, which is hardened at 150°C or lower.
 - 33. (original): The thin film according to claim 30, which is hardened at 60°C or lower.
- 34. (currently amended): The thin film according to <u>claim 30</u> any one of claims 30 to 33, wherein the substrate comprises ceramics, metal, glass, plastics, paper, or wood.
- 35. (currently amended): An article having on a surface thereof or comprising a substance produced from the sol as set forth in <u>claim 1 any one of claims 1 to 15 or 24</u>.

Preliminary Amendment

Appln. No.: National Stage of PCT/JP2004/009888

36. (original): An article according to claim 35, which is at least one member selected from the group consisting of building materials, fluorescent lamps, glass panes, machinery, vehicles, glass products, household electrical appliances, water purifying apparatuses, agricultural materials, electronic apparatus, tools, tableware, bath products, toiletry products, furniture, clothing, cloth products, fibers, leather products, paper products, sporting goods, beauty-related instruments, health improvement instruments, medical goods, *futon*, containers, eyeglasses, signboards, piping, wiring, brackets, sanitary materials, and automobile parts.